AUTHOR INDEX

Abolin, O. E., 99
Adler, T. C., 77
Akhter, S. K., 21
Anand, D. K., 301
Appleby, A. J., 377
Armenta, C., 115

Badcock, C., 205
Ball, M. C., 11
Baraona, C. R., 195
Beauchamp, R. L., 229

Cairns, E. J., 77
Carbonio, R. E., 387
Cathro, K. J., 29
Chowdari, B. V. R., 21
Constable, D. C., 29
Cornilsen, B. C., 351

Dawson, S., 269
de Andrés, M. C., 115
Deligiannis, F., 269
Derouin, C. R., 359
Dmitrenko, V. E., 99
Doria, J., 115

Ellis, S. R., 11
Exnar, I., 69

Fierro, C., 387
Foxworthy, A. M., 169
Frank, H., 277
Fritts, S. D., 423
Fullea, J., 115

Giner, J., 399
Graña, F., 115
Grudyanov, I. I., 99

Halpert, G., 269, 277
Ham, D. O., 409
Hampson, N. A., 11
Hill, R. J., 175
Hoobin, P. M., 29
Huggins, R. A., 341
Hunziker, M., 69

Johnson, M., 11

Karjala, P. J., 351
Katz, M. H., 77
Kedrinsky, I. A., 99
Khalil, L. B., 133, 149
Kirk, J. A., 301
Kosek, J. A., 293
Krause, S. J., 243

Laconti, A. B., 293
Lim, H. S., 213, 243
Loyselle, P. L., 351
Lutwack, R., 277

McBreen, J., 323
McLarnon, F. R., 77
Maja, M., 1
Moniz, G., 409
Murygin, I. V., 99

Niksa, M. J., 261

O'Grady, W. E., 323
Olszewski, M., 313

Pandya, K. I., 323
Pavlov, D., 179
Penazzi, N., 1
Petro, N. S., 133, 149
Pickett, D. F., 243

Redondo, A., 359
Rophael, M. W., 133, 149
Rychcik, M., 59

Sammells, A. F., 285
Savinell, R. F., 423
Scherson, D., 387
Semkow, K. W., 285
Sheibley, D. W., 195
Shen, D. H., 269
Sindorf, J. F., 229
Skyllas-Kazacos, M., 59
Song Hui-min, 163
Srinivasan, S., 359
Subbarao, S., 269
Sukhova, G. I., 99
Swette, L., 399

Taraszkiewicz, J., 269
Taylor, E. J., 409
Ticianelli, E. A., 359
Tryk, D., 387

Vaidyanathan, H., 221
Verzwyvelt, S. A., 213, 243

Wheeler, D. J., 261
Wilkinson, F., 11

Yeager, E., 387

Zhu Song-ran, 163

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

Alloys
  Pb–Bi, H evolution reaction on, 11
  polyphase, as rechargeable electrodes in advanced battery systems, 341
Aluminum
  –O batteries for space application, 261
Ascorbic acid
  kinetics of reduction of Mn dioxide by, and hydrazine solutions, 133

Battery(ies)
  Al–O, for space applications, 261
  all-V redox flow, characteristics of new, 59
  and fuel cell materials, EXAFS; new tool for study of, 323
  H–Br, advanced H electrode for, 293
  lead–acid, negative plates,
    effect of some elements on O reduction and H evolution at, 1
  lead–acid, positive plate
    effect of chemisorbed water on electrical capacity of
    comments on, 175
    reply to comments on, 179
  Li–I, based on metal dibenzo(b,i)(1,4,8,11)tetraaza(14)annulene–I charge transfer complexes, 69
  Li–thionyl chloride, for CENTAUR, development of, 277
  Ni–Cd, advanced, for geosynchronous spacecraft, 243
  Ni–H, cost reductions in, 229
Battery systems
  polyphase alloys as rechargeable electrodes in advanced, 341
Bismuth
  Pb–Bi alloys, H evolution reaction on, 11
Bromine
  H–Br battery, advanced H electrode for, 293
  H–Br rechargeable SPE fuel cell, theoretical performance of, 423
  Zn/Br cells, performance of porous plastic separators in, 29
Button cells
  low-Hg Zn/Ag-oxide, self-discharge of, 163

Cadmium
  Ni–Cd batteries, advanced, for geosynchronous spacecraft, 243
Catalytic decomposition
  kinetics of, of hydrogen peroxide solution by Mn dioxide samples, 149
Cell(s)
  lead–acid, effects of electrolyte flow on performance of, 115
  Li, development of ambient temperature secondary, 269
  low-Hg Zn/Ag-oxide button, self-discharge of, 163
  Ni–H
    KOH concentration effect on cycle life, 213
    long-term storage of, 221
  rechargeable alkaline fuel, O electrodes for, 399
  regenerative fuel, for space applications, 377
  Zn/Br, performance of porous plastic separators in, 29
  Zn/Ni oxide, effect of pulse charging on cycle-life performance of, 77
CENTAUR
  development of Li–thionyl chloride batteries for, 277
Charge transfer complexes
  Li–I batteries based on metal dibenzo(b,i)(1,4,8,11)tetraaza(14)annulene–I, 69
Chemical species
  electrochemical generation of useful, from lunar materials, 285
Chemisorbed water
  effect of, on electrical capacity of lead–acid battery positive plate
  comments on, 175
  reply to comments on, 179
Cost reductions
  in Ni–H battery, 229
Cycle life
  of Ni–H cells, KOH concentration effect on, 213
Cycle-life performance
  of Zn/Ni oxide cells, effect of pulse charging on, 77

© Elsevier Sequoia/Printed in The Netherlands

Electrical capacity
effect of chemisorbed water on, of lead–acid battery positive plate
comments on, 175
reply to comments on, 179
Electrocatalysis
O, and bulk structure; perovskite-type oxides, 387
Electrocatalysts
high surface area dual function O, for space power applications, 409
Electrochemical behaviour
surface film effect on, of active metals, 99
Electrochemical generation
of useful chemical species from lunar materials, 285
Electrode(s)
advanced H, for H–Br battery, 293
low Pt loading, advances in solid polymer electrolyte fuel cell technology with, 359
Ni, active mass, structural models for, 351
O, for rechargeable alkaline fuel cells, 399
polyphase alloys as rechargeable, in advanced battery systems, 341
Electrolyte
advances in solid polymer, fuel cell technology with low Pt loading electrodes, 359
Electrolyte flow
effects of, on performance of lead–acid cells, 115
Energy storage
on space station, application of advanced flywheel technology for, 313
Energy storage technology
introduction of new, into orbital programs; view from AIAA, 205
EXAFS
new tool for study of battery and fuel cell materials, 323

Flywheel stack
magnetically suspended, satellite power using, 301
Flywheel technology
application of advanced, for energy storage on space station, 313
Fuel cell(s)
H–Br rechargeable SPE, theoretical performance of, 423
rechargeable alkaline, O electrodes for, 399
regenerative, for space applications, 377
Fuel cell materials
EXAFS; new tool for study of battery and, 323
Fuel cell technology
advances in solid polymer electrolyte with low Pt loading electrodes, 359

Geosynchronous spacecraft
advanced Ni–Cd batteries for, 243

Hydrazine solutions
kinetics of reduction of Mn dioxide by ascorbic acid and, 133
Hydrogen
–Br battery, advanced H electrode for, 293
–Br rechargeable SPE fuel cell, theoretical performance of, 423
Ni–H battery, cost reductions in, 229
Ni–H cells
KOH concentration effect on cycle life of, 213
long-term storage of, 221
Hydrogen evolution
effect of some elements on O reduction and, at lead–acid battery negative plates, 1
reaction on Pb–Bi alloys, 11
Hydrogen peroxide solution
kinetics of catalytic decomposition of, by Mn dioxide samples, 149

Iodine
Li–I batteries based on metal dibenzo(b,i)(1,4,8,11)tetraaza(14)annulene–I charge transfer complexes, 69
Ionic transport
studies of Li_2So_4:Li_2CO_3:LiCl system, 21

Kinetics
of catalytic decomposition of hydrogen peroxide solution by Mn dioxide samples, 149
of reduction of Mn dioxide by ascorbic acid and hydrazine solutions, 133

Lead
–Bi alloys, H evolution reaction on, 11
Lead–acid battery
negative plates
effect of some elements on O reduction and H evolution at, 1
positive plate
effect of chemisorbed water on elec-

trical capacity of
comments on, 175
reply to comments on, 179
Lead–acid cells
effects of electrolyte flow on performance of, 115
Lead/acid plate curing
relative-humidity/temperature relationships for saturated salt solutions; application to, 169
Lithium
–I batteries based on metal dibenzo(b,i)-(1,4,8,11)tetraaza(14)annulene–I charge transfer complexes, 69
ionic transport studies of Li_2SO_4: Li_2CO_3:LiCl system, 21
–thionyl chloride batteries for CENTAUR, development of, 277
Lithium cells
development of ambient temperature secondary, 269
Long-term storage
of Ni–H cells, 221
Lunar materials
electrochemical generation of useful chemical species from, 285

Manganese dioxide
kinetics
of catalytic decomposition of hydrogen peroxide solution by, samples, 149
of reduction of, by ascorbic acid and hydrazine solutions, 133
Mercury
self-discharge of low-Hg Zn/Ag-oxide button cells, 163
Metals
surface film effect on electrochemical behaviour of active, 99

Negative plates
lead–acid battery, effect of some elements on O reduction and H evolution at, 1
Nickel
–Cd batteries, advanced, for geosynchronous spacecraft, 243
electrode active mass, structural models for, 351
–H battery, cost reductions in, 229
–H cells
KOH concentration effect on cycle life of, 213
long-term storage of, 221
Zn/Ni oxide cells, effect of pulse charging on cycle-life performance of, 77

Orbital programs
introduction of new energy storage technology into; view from AIAA, 205
Oxygen
Al–O batteries for space applications, 261
electrocatalysis and bulk structure; perovskite-type oxides, 387
electrocatalysts, high surface area dual function, for space power applications, 409
electrodes for rechargeable alkaline fuel cells, 399
Oxygen reduction
effect of some elements on, and H evolution at lead–acid battery negative plates, 1

Perovskite-type oxides
O electrocatalysis and bulk structure, 387
Platinum
low Pt loading electrodes, advances in solid polymer electrolyte fuel cell technology with, 359
Polymer
advances in solid, electrolyte fuel cell technology with low Pt loading electrodes, 359
Polyphase alloys
as rechargeable electrodes in advanced battery systems, 341
Porous plastic separators
in Zr/Br cells, performance of, 29
Positive plate
lead–acid battery
effect of chemisorbed water on electrical capacity of
comments on, 175
reply to comments on, 179
Potassium hydroxide
concentration effect on cycle life of Ni–H cells, 213
Pulse charging
effect of, on cycle-life performance of Zn/Ni oxide cells, 77

Redox flow battery
new all-V, characteristics of, 59

Relative humidity
/temperature relationships for saturated salt solutions; application to lead/acid plate curing, 169

Salt solutions
relative-humidity/temperature relationships for saturated; application to lead/acid plate curing, 169
Satellite power
using magnetically suspended flywheel stack, 301
Self-discharge
of low-Hg Zn/Ag-oxide button cells, 163
Silver
low-Hg Zn/Ag-oxide button cells, self-discharge of, 163
Space applications
Al–O batteries for, 261
regenerative fuel cells for, 377
Spacecraft
advanced Ni–Cd batteries for geosynchronous, 243
Space power applications
high surface area dual function O electrocatalysts for, 409
Space station
energy storage on, application of advanced flywheel technology, for, 313
power system, status of, 195
Structural models
for Ni electrode active mass, 351
Surface film effect
on electrochemical behaviour of active metals, 99

Temperature
development of ambient, secondary Li cells, 269
relative-humidity/, relationships for saturated salt solutions; application to lead/acid plate curing, 169
Thionyl chloride
Li–, batteries for CENTAUR, development of, 277

Vanadium
all-V redox flow battery, characteristics of new, 59

Zinc
/Br cells, performance of porous plastic separators in, 29
low-Hg Zn/Ag-oxide button cells, self-discharge of, 163
/Ni oxide cells, effect of pulse charging on cycle-life performance of, 77